


# boaz

---





Cut out = 76mm

(For compact fluorescent allow 130mm Height)

### Description

- Discrete slim rim
- Deep baffle
- Matt surface finish
- Twist lock ring for lamp change

### Lamp

- GU5.3 (MR 16 halogen)
- GU10 (Compact fluorescent, please specify if halogen required)
- Metal Halide

### Styles

- Fixed
- Tilt (25° bi directional)

### Colours

- Matt White
- Matt Grey
- Matt Black
- Varnish Stainless

### Materials

- Stainless Steel Body (fully coated and sealed 304 grade)
- Fully coated springs, Ceramic lamp holder with Teflon leads

### Voltage


- 12V, GU5.3
- 240V, GU10
- Metal Halide

### IP Rating

- IP44 (Fixed Only)

### Accessories

- Heat Hood (if required by AS/NZS 3000 wiring rules)
- Extender Ring (White extension ring suits 92mm cut out)
- Borosilicate Frost Glass diffuser



### Description

- Heat gasket allows for 50w max lamp
- Clip in glass mechanism
- Integrated anti insect mesh
- Ultra thin recess depth
- Screw out spring mechanism for easy installation
- Small cut out

### Lamp

- GY6.35

### Styles

- NA

### Colours

- Matt White

### Materials

- Aluminium Body
- Ceramic lamp holder with Teflon leads

### Voltage

- 12V

### IP Rating

- Internal Use only

### Accessories

- Replacement glasses available



### Description

- Surface mount step light
- 1W power LED
- 40° beam spread
- Luminous intensity 28.0 cd

### Lamp

- Otto 1 – 1 x 1.2W LED
- Otto 2 – 2 x 1.2W LED

### Styles

- Otto 1 – Single Direction
- Otto 2 – Multi directional

### Colours

- Body – Aluminium
- LED – Warm White

### Materials

- Aluminium Body
- Tridonic Atco LED

### Voltage


- 12VDC

### IP Rating

- Internal Use Only

### Accessories





Chasebox



Plasterkit

### Description

- Recessed Wall Light
- Flush trim effect possible with plaster kit or chase box.
- Built in transformer/ LED Driver / Fluorescent ballast.

### Lamp

- GY6.35 Bi Pin
- 11W Warm White power LED
- 11W PL Fluorescent

### Styles

- NA

### Colours

- Aluminium
- Frost Glass Diffuser

### Materials

- Anodised Aluminium

### Voltage

- 240V

### IP Rating

- Internal Use Only

### Accessories

- Chase box
  - Plaster Kit
- Please specify when ordering.

- Green tinge glass